



## Land Mobile Digital Radio Price Book - December 2015

### Europe, Africa and Middle East



Currency:USD Version 4.02

Summary of changes to the USD version 4.01 price book are as follows.

**Description correction.**

AC115N022-VSL	EVX-539-D0-5 (IS)( <b>Non-CE</b> ) 136-174MHZ
AC115U024-VSL	EVX-539-G6-5 (IS)( <b>Non-CE</b> ) 403-470MHZ

**Contents Page**

Revision Date Of Text:  
Pricing Information Valid As Of:

18th December 2015  
9th November 2015

---

**Portables**



**Page 1**      **EVX-531 (CE and Non CE) Non Keypad, 32 Ch portable, Full Band**



**Page 2**      **EVX-534 (CE) Enhanced Limited Keypad display, 512 Ch portable**



**Page 3**      **EVX-539 (CE) Enhanced Full keypad, 512 Ch portable**



**Page 4**      **EVX-530 series accessories**



**Page 5**      **EVX-531IS (Non CE) Non Keypad, 32 Ch portable, Full Band**



**Page 6**      **EVX-539IS (Non CE) Non Keypad, 512 Ch portable, Full Band**

**Page 7**      **EVX-530IS series accessories**

**Mobiles**



**Page 8**      **EVX-5300 (CE and Non CE) 8 Channel Mobile**



**Page 9**      **EVX-5400 (CE and Non CE) 512 Channel Mobile**

**Page 10**      **EVX-5300/5400 series accessories**

**IP Interface**



**Page 11**      **EVX-Link Ip interface**

**Basestations**



**Page 12**      **EVX-R70 (CE) Repeater**

**Page 13**      **EVX-R70 accessories**

**Legacy Products**

**Page 14**      **VXD-720 accessories**

**Page 15**      **VXD-7200 accessories**

Currency: US Dollar  
 Revision Date Of Text: 18th December 2015  
 Pricing Information Valid As Of: 9th November 2015

**EVX-531 - Two-Way Radio with 32 Channels (submersible 1 meter for 30 minutes)**

The EVX-531 series is a 'compact radio' consisting of VHF, UHF1 and UHF2 portables  
 Easy to operate with fundamental features you need, allowing users to keep in contact while still concentrating on the job in hand.

Available in both 5W UHF and 5W VHF models.

**Hardware features:**

- 16 position rotary with stop (two group settings allow 32 channels)
- 3 side buttons (programmable - dual function)
- Accessory connector socket
- MIL 810 CDEFG
- IP 57 (with accessory cover fitted)

**Operator friendly controls and features include:**

- Large rotary channel selector
- Angled rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Audio Companding
- Clear Voice
- Dynamic Tx power control
- VOX (Internal and External)
- 5 tone
- Stun/Revive/Kill (5 Tone)
- Voice Inversion Encryption built in
- Dual Slot direct mode
- Transmit Interrupt
- Site Search
- CTCSS / DCS, 2 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode
- Emergency
- Lone worker
- Programmable channel spacing 12.5/20/25KHz
- Analogue/Digital Scan
- ARTS II (Automatic Range Transpond System with MDC1200 auto ID)
- Channel Announcement (dealer recordable / multi language)
- Radio Check (Digital)
- Remote Monitor(Digital)
- Pre-programmed Texting (Digital)
- Basic Privacy (Digital)
- Digital Call Management Features, (All call, Group Call, Private Call)
- Stun/Revive digital
- Digital DTMF

**All EVX-531 Portables include:**

- Portable radio
- Choice of antenna
- Choice of Li Ion battery
- Bi Chem Rapid Charger for Lilon battery
- 24 months Radio Tanapa warranty (Does not cover Accessories)
- New style 'push on' belt clip
- Accessory socket dust cover
- Userguide incorporating safety leaflet



**Important note: Options listed below - one of each item must be chosen.**  
*i.e. Choose a radio, antenna, battery and single unit desktop rapid charger option.*

**Please Use CE-142 programming software with these radios**

Radios:	Power	Model/Option	Description	Manufacturer's Suggested List Price
<b>CE</b> 136-174MHZ	1 - 5 W	AC113N001-VSL	EVX-531-D0-5 (CE) 136-174MHz, 32CH, no display	\$395.00
		QA02270AA	adds:ATV-16A VHF Antenna (136-150MHz) 14cm RED	\$0.00
		QA02271AA	adds:ATV-16B VHF Antenna (150-162MHz) 14cm BROWN	\$0.00
		QA02272AA	adds:ATV-16C VHF Antenna (162-174MHz) 14cm BLACK	\$0.00
		QA02273AA	adds: ATV-16XL (Untuned Antenna)	\$0.00
<b>CE</b> 400 - 470 MHz	1 - 5 W	AC113U002-VSL	EVX-531-G6-5 (CE) 403-470MHz, 32CH, no display	\$395.00
		QA02274AA	adds:ATU-16B UHF Antenna (400-420MHz) 14cm BLUE	\$0.00
		QA02275AA	adds:ATU-16C UHF Antenna (420-450MHz) 14cm BROWN	\$0.00
		QA02276AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	\$0.00
		QA02922AA	adds:ATU-16BS UHF 400-430 MHZ STUBBY ANTENNA	\$0.00
		QA02923AA	adds: ATU-16DS UHF 450-490 MHZ STUBBY ANTENNA	\$0.00
<b>Non CE</b> 450 - 520 MHz	1 - 5 W	AC113U001-VSL	EVX-531-G7-5 (Non CE) 450-520MHz, 32CH, no display	\$395.00
		QA02276AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	\$0.00
		QA02278AA	adds:ATU-16F UHF Antenna (470-520 MHz) 14cm BLACK	\$0.00
		QA02923AA	adds: ATU-16DS UHF 450-490 MHZ STUBBY ANTENNA	\$0.00
		<b>Battery options:</b>	<b>Select one option below</b>	
		QA03709AA	Add:FNB-V133LI-UNI LI-ION BATTERY 1380MAH	\$0.00
		QA03710AA	Add:FNB-V134LI-UNI LI-ION BATTERY 2300MAH	\$26.00
		<b>Charger options:</b>	<b>Select one option below</b>	
		QA03711AA	ADD: CD-58 + PA55C (VAC-UNIC) Euro	\$0.00
		QA03712AA	ADD: CD-58 + PA55U (VAC-UNI) UK	\$0.00
		QA03713AA	delete: Desktop Rapid Charger VAC-UNI	-\$23.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: US Dollar  
 Revision Date Of Text: 18th December 2015  
 Pricing Information Valid As Of: 9th November 2015

**EVX-534 - Two-Way Radio with 512 Channels (submersible 1 meter for 30 minutes)(Dot Matrix display)**

The EVX-534 series is a 'compact radio' consisting of VHF, UHF1 and UHF2 portables

Easy to operate with fundamental features you need, allowing users to keep in contact while still concentrating on the job in hand.

Available in both 5W UHF and 5W VHF models.

**Hardware features:**

- Continuous rotary channel switch (either continuous channel select of 512 channels or 16 group settings of 32 channels)
- 3 side buttons (programmable - dual function)
- 4 front panel buttons (programmable - dual function)
- Accessory connector socket
- 8 character alphanumeric display
- Large rotary channel selector
- Angled rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Audio Companding
- Clear Voice
- Dynamic Tx power control
- VOX (Internal and External)
- 5 tone
- Stun/Revive/Kill (5 Tone)
- Voice Inversion Encryption built in
- Dual Slot direct mode
- Transmit Interrupt
- Site Search
- Dot Matrix Display
- Option Board Capable
- MIL 810 CDEFG
- IP 57 (with accessory cover fitted)
- CTCSS / DCS, 2 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode
- Emergency
- Lone worker
- Programmable channel spacing 12.5/20/25KHz
- Analogue/Digital Scan
- ARTS II (Automatic Range Transpond System with MDC1200 auto ID)
- Channel Announcement (dealer recordable / multi language)
- Radio Check (Digital)
- Remote Monitor(Digital)
- Pre-programmed Texting (Digital)
- Basic/Enhanced Privacy/256 encryption (Digital)
- Stun/Revive digital
- Digital Call Management Features, (All call, Group Call, Private Call)
- Digital DTMF

**All EVX-534 Portables include:**

- Portable radio
- Choice of antenna
- Choice of Li Ion battery
- Bi Chem Rapid Charger for Lilon battery
- 24 months Radio Tanapa warranty (Does not cover Accessories)
- New style 'push on' belt clip
- Accessory socket dust cover
- Userguide incorporating safety leaflet

**Important note: Options listed below - one of each item must be chosen. i.e. Choose a radio, antenna, battery and single unit desktop rapid charger option.**

**Please Use CE-151 programming software with these radios**



Radios:	Power	Model/Option	Description	Manufacturer's Suggested List Price
<b>CE</b> 136-174MHZ	1 - 5 W	AC129N001-VSL	EVX-534-D0-5 (CE) 136-174MHz, 512CH, limited keypad, display	\$510.00
		QA02270AA	adds:ATV-16A VHF Antenna (136-150MHz) 14cm RED	\$0.00
		QA02271AA	adds:ATV-16B VHF Antenna (150-162MHz) 14cm BROWN	\$0.00
		QA02272AA	adds:ATV-16C VHF Antenna (162-174MHz) 14cm BLACK	\$0.00
		QA02273AA	adds: ATV-16XL (Untuned Antenna)	\$0.00
<b>CE</b> 400 - 470 MHz	1 - 5 W	AC129U002-VSL	EVX-534-G6-5 (CE) 403-470MHz, 512CH, limited keypad, display	\$510.00
		QA02274AA	adds:ATU-16B UHF Antenna (400-420MHz) 14cm BLUE	\$0.00
		QA02275AA	adds:ATU-16C UHF Antenna (420-450MHz) 14cm BROWN	\$0.00
		QA02276AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	\$0.00
		QA02922AA	adds:ATU-16BS UHF (400-430 MHz) STUBBY ANTENNA	\$0.00
QA02923AA	adds: ATU-16DS UHF (450-490 MHz) STUBBY ANTENNA	\$0.00		
<b>CE</b> 450 - 520 MHz	1 - 5 W	AC129U001-VSL	EVX-534-G7-5 (CE) 450-520MHz, 512CH, limited keypad, display	\$510.00
		QA02276AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	\$0.00
		QA02278AA	adds:ATU-16F UHF Antenna (470-520 MHz) 14cm BLACK	\$0.00
		QA02923AA	adds: ATU-16DS UHF (450-490 MHz) STUBBY ANTENNA	\$0.00
		<b>Battery options:</b>	<b>Select one option below</b>	
		QA03709AA	Add:FNB-V133LI-UNI LI-ION BATTERY 1380MAH	\$0.00
		QA03710AA	Add:FNB-V134LI-UNI LI-ION BATTERY 2300MAH	\$26.00
		<b>Charger options:</b>	<b>Select one option below</b>	
		QA03711AA	ADD: CD-58 + PA55C (VAC-UNIC) Euro	\$0.00
		QA03712AA	ADD: CD-58 + PA55U (VAC-UNIUI) UK	\$0.00
		QA03713AA	delete: Desktop Rapid Charger VAC-UNI	-\$23.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: US Dollar  
Revision Date Of Text: 18th December 2015  
Pricing Information Valid As Of: 9th November 2015

**EVX-539 - Two-Way Radio with 512 Channels (submersible 1 meter for 30 minutes) (Dot Matrix display)**

The EVX-539 series is a 'compact radio' consisting of VHF, UHF1 and UHF2 portables

Easy to operate with fundamental features you need, allowing users to keep in contact while still concentrating on the job in hand.

Available in both 5W UHF and 5W VHF models.

**Hardware features:**

- Continuous rotary channel switch (either continuous channel select of 512 channels or 16 group settings of 32 channels)
- 3 side buttons (programmable - dual function)
- 6 front panel buttons (programmable - dual function)
- Accessory connector socket
- 8 character alphanumeric display
- Large rotary channel selector
- Angled rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Audio Companding
- Clear Voice
- Dynamic Tx power control
- VOX (Internal and External)
- 5 tone
- Stun/Revive
- Voice Inversion Encryption built in
- Dual Slot direct mode
- Transmit Interrupt
- Site Search
- Dot Matrix Display
- Option Board Capable
- MIL 810 CDEFG
- IP 57 (with accessory cover fitted)
- CTCSS / DCS, 2 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode
- Emergency
- Lone worker
- Programmable channel spacing 12.5/20/25KHz
- Analogue/Digital Scan
- ARTS II (Automatic Range Transpond System with MDC1200 auto ID)
- Channel Announcement (dealer recordable / multi language)
- Radio Check (Digital)
- Remote Monitor(Digital)
- Pre-programmed Texting and direct entry Text (Digital)
- Basic/Enhanced Privacy/256 Encryption (Digital)
- Digital Call Management Features, (All call, Group Call, Private Call)
- Stun/Revive digital
- Digital DTMF

**All EVX-539 Portables include:**

- Portable radio
- Choice of antenna
- Choice of Li Ion battery
- Bi Chem Rapid Charger for Lilon battery
- 24 months Radio Tanapa warranty (Does not cover Accessories)
- New style 'push on' belt clip
- Accessory socket dust cover
- Userguide incorporating safety leaflet

**Important note: Options listed below - one of each item must be chosen.**  
i.e. Choose a radio, antenna, battery and single unit desktop rapid charger option.

**Please Use CE-151 programming software with these radios**



Radios:	Power	Model/Option	Description	Manufacturer's Suggested List Price
<b>CE</b> 136-174MHZ	1 - 5 W	AC129N002-VSL	EVX-539-D0-5 (CE) 136-174MHz, 512CH, Full Keypad display	\$545.00
		QA02270AA	adds:ATV-16A VHF Antenna (136-150MHz) 14cm RED	\$0.00
		QA02271AA	adds:ATV-16B VHF Antenna (150-162MHz) 14cm BROWN	\$0.00
		QA02272AA	adds:ATV-16C VHF Antenna (162-174MHz) 14cm BLACK	\$0.00
		QA02273AA	adds: ATV-16XL (Untuned Antenna)	\$0.00
<b>CE</b> 400 - 470 MHz	1 - 5 W	AC129U004-VSL	EVX-539-G6-5 (CE) 403-470MHz, 512CH, Full Keypad display	\$545.00
		QA02274AA	adds:ATU-16B UHF Antenna (400-420MHz) 14cm BLUE	\$0.00
		QA02275AA	adds:ATU-16C UHF Antenna (420-450MHz) 14cm BROWN	\$0.00
		QA02276AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	\$0.00
		QA02922AA	adds:ATU-16BS UHF (400-430 MHz) STUBBY ANTENNA	\$0.00
<b>CE</b> 450 - 520 MHz	1 - 5 W	AC129U003-VSL	EVX-539-G7-5 (CE) 450-520MHz, 512CH, Full Keypad display	\$545.00
		QA02276AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	\$0.00
		QA02278AA	adds:ATU-16F UHF Antenna (470-520 MHz) 14cm BLACK	\$0.00
		QA02923AA	adds: ATU-16DS UHF (450-490 MHz) STUBBY ANTENNA	\$0.00
				<b>Battery options:</b>
		QA03709AA	Add:FNB-V133LI-UNI LH-ON BATTERY 1380MAH	\$0.00
		QA03710AA	Add:FNB-V134LI-UNI LH-ON BATTERY 2300MAH	\$26.00
		<b>Charger options:</b>	<b>Select one option below</b>	
		QA03711AA	ADD: CD-58 + PA55C (VAC-UNIC) Euro	\$0.00
		QA03712AA	ADD: CD-58 + PA55U (VAC-UNI) UK	\$0.00
		QA03713AA	delete: Desktop Rapid Charger VAC-UNI	-\$23.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency US Dollar  
 Revision Date Of Text: 18th December 2015  
 Pricing Information Valid As Of: 9th November 2015

Page 4

Model number	Description		Manufacture's Suggested List Price
<b>Antennas</b>			
AAH73X002	ATV-16A	VHF Antenna (136-150MHz) 14cm RED	\$13.00
AAH73X003	ATV-16B	VHF Antenna (150-161MHz) 14cm BROWN	\$13.00
AAH73X004	ATV-16C	VHF Antenna (162-174MHz) 14cm BLACK	\$13.00
AAH73X001	ATV-16XL	VHF Antenna (Untuned)	\$13.00
AAH72X001	ATU-16B	UHF Antenna (400-420MHz) 14cm BLUE	\$13.00
AAH72X002	ATU-16C	UHF Antenna (420-450MHz) 14cm BROWN	\$13.00
AAH72X003	ATU-16D	UHF Antenna (450-470 MHz) 14cm RED	\$13.00
AAH72X004	ATU-16F	UHF Antenna (470-520 MHz) 14cm BLACK	\$13.00
AAJ10X001	ATU-16BS	ATU-16BS Stubby Antenna (400-430 MHz)	\$13.00
AAJ10X002	ATU-16DS	ATU-16DS Stubby Antenna (450-490 MHz)	\$13.00
<b>Batteries</b>			
AAJ67X001	FNB-V133LI	FNB-V133LI-UNI LHON BATTERY 1380MAH	\$44.00
AAJ68X001	FNB-V134LI	FNB-V134LI-UNI LHON BATTERY 2300MAH	\$79.00
<b>Battery chargers S.U.C</b>			
AAJ72X001	CD-58	CD-58 SINGLE UNIT CHARGER BASE	\$24.00
AAJ71X003	PA-55C	AC-DC,POWER SUPPLY, 16V, 1A EU MODEL	\$18.00
AAJ71X004	PA-55U	AC-DC,POWER SUPPLY, 16V, 1A UK MODEL	\$18.00
GMLN5368A	VAC-UNIC	VAC-UNIC (CD-58 + PA55C) Euro	\$42.00
GMLN5369A	VAC-UNIUI	VAC-UNIUI (CD-58 + PA55U) UK	\$42.00
AAK45X001	VCM-5	VCM-5 VECH CHGR MOUNT ADAPT VAC-UNI	\$86.00
<b>Battery chargers M.U.C</b>			
GMLN5392A	VAC-6058C	VAC-6058C MUC FOR UNI BATTERY EU PLUG	\$559.00
GMLN5393A	VAC-6058U	VAC-6058C MUC FOR UNI BATTERY UK PLUG	\$559.00
AAH99X101	CSS-450	Channel Selector stopper	\$2.00
<b>Audio accessories</b>			
AAK50X001	MH-37A4B-1	Earpiece Microphone	\$39.00
AAL40X001	VH-150A	Behind Type Vox Compatible Microphone	\$80.00
AAL41X001	VH-150B	Over The Head Vox Compatible Microphone	\$125.00
AAL83X001	MH-101A4B	1 Wire Surveillance Kit	\$40.00
AAL84X001	MH-102A4B	2 Wire Surveillance Kit	\$40.00
AAF53X001	MH-450s	Speaker Microphone Small type	\$37.00
AAF52X001	MH-360s	Speaker Microphone Miniature type	\$30.00
AAH89X001	MH-81A4B	Over-the-head VOX Compatible Headset	\$235.00
AAE46X007	MH-66A4B	IP57 Submersible Spkr Mic	\$85.00
<b>Carry solutions</b>			
AAH12X101	CLIP-20	Belt Clip	\$10.00
AAJ14X001	LCC-133LN	LCC-133LN - Case Belt loop type for FNB-V133LI No Display	\$37.00
AAJ14X002	LCC-134LN	LCC-134LN - Case Belt loop type for FNB-V134LI No Display	\$37.00
AAJ14X003	LCC-133SN	LCC-133SN - Case Swivel belt clip type for FNB-V133LI No Display	\$48.00
AAJ14X004	LCC-134SN	LCC-134SN - Case Swivel belt clip type for FNB-V134LI No Display	\$48.00
AAJ14X005	LCC-133LD	LCC-133LD - Case Belt loop type for FNB-V133LI Display	\$37.00
AAJ14X006	LCC-134LD	LCC-134LD - Case Belt loop type for FNB-V134LI Display	\$37.00
AAJ14X007	LCC-133SD	LCC-133SD - Case Swivel belt clip type for FNB-V133LI Display	\$48.00
AAJ14X008	LCC-134SD	LCC-134SD - Case Swivel belt clip type for FNB-V134LI Display	\$48.00
<b>Programming accessories</b>			
AAJ06X001	FRB-6	Tuning interface box	\$450.00
AAJ08X001	CT-160	Connection Cable for FRB-6	\$80.00
A08110001	CT-27	Portable to Portable Clone Cable	\$30.00
AAJ23X001	FIF-12	USB interface adapter for use with CT-106	\$70.00
AAD68X001	CT-106	Programing Cable interface for VX-231/350/450/EVX-530 series...connect to FIF-12	\$19.00
<b>Service items</b>			
A08420002	CN-2	Antenna Connector BNC to SMA (female)	\$25.00
<b>Product manual</b>			
N/A	EVX-5300 / EVX-5400 series VHF and UHF product manual - download from <a href="http://www.vertexstandard.com/manuals">http://www.vertexstandard.com/manuals</a>		Free of charge

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency US Dollar  
Revision Date Of Text: 18th December 2015  
Pricing Information Valid As Of: 9th November 2015

**EVX-531IS (Non CE) - Two-Way Radio with 32 Channels (submersible 1 meter for 30 minutes)**

The EVX-531IS series is a 'compact radio' consisting of VHF, UHF1 and UHF2 portables

Easy to operate with fundamental features you need, allowing users to keep in contact while still concentrating on the job in hand.

Available in both 5W UHF and 5W VHF models.

**Hardware features:**

- 16 position rotary with stop (two group settings allow 32 channels)
- 3 side buttons (programmable - dual function)
- Accessory connector socket
- MIL 810 CDEFG
- IP 57 (with accessory cover fitted)

**Operator friendly controls and features include:**

- Large rotary channel selector
- Angled rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Audio Companding
- Clear Voice
- Dynamic Tx power control
- VOX (Internal and External)
- 5 tone
- Stun/Revive/Kill (5 Tone)
- Voice Inversion Encryption built in
- Dual Slot direct mode
- Transmit Interrupt
- Site Search
- CTCSS / DCS, 2 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode
- Emergency
- Lone worker
- Programmable channel spacing 12.5/20/25KHz
- Analogue/Digital Scan
- ARTS II (Automatic Range Transpond System with MDC1200 auto ID)
- Channel Announcement (dealer recordable / multi language)
- Radio Check (Digital)
- Remote Monitor(Digital)
- Pre-programmed Texting (Digital)
- Basic Privacy (Digital)
- Digital Call Management Features, (All call, Group Call, Private Call)
- Stun/Revive digital
- Digital DTMF



**All EVX-531IS Portables include:**

- Portable radio
- Choice of antenna
- 2300 mAh I.S. Li-ion Battery
- Bi Chem Rapid Charger for Lilon battery
- 24 months Radio Tanapa warranty (Does not cover Accessories)
- New style 'push on' belt clip
- Accessory socket dust cover
- User guide incorporating safety leaflet

**Important note: Options listed below - one of each item must be chosen.  
i.e. Choose a radio, antenna, battery and single unit desktop rapid charger option.**

**Please Use CE-142 programming software with these radios**

**If you use any non IS accessories with the IS radios, the radio is no longer considered as intrinsically safe and must not be used in a hazardous area**

Radios:	Power	Model/Option	Description	Manufacturer's Suggested List Price
<b>Non CE</b> 136-174MHZ	1 - 5 W	AC113N021-VSL QA02270AA QA02271AA QA02272AA QA02273AA	EVX-531-D0-5 (IS) ( <b>Non-CE</b> ) 136-174MHZ no display adds:ATV-16A VHF Antenna (136-150MHz) 14cm RED adds:ATV-16B VHF Antenna (150-162MHz) 14cm BROWN adds:ATV-16C VHF Antenna (162-174MHz) 14cm BLACK adds: ATV-16XL (Untuned Antenna)	\$499.00 \$0.00 \$0.00 \$0.00 \$0.00
<b>Non CE</b> 400 - 470 MHz	1 - 5 W	AC113U022-VSL QA02274AA QA02275AA QA02276AA QA02922AA QA02923AA	EVX-531-G6-5 (IS) ( <b>Non CE</b> ) 403-470MHZ, no display adds:ATU-16B UHF Antenna (400-420MHz) 14cm BLUE adds:ATU-16C UHF Antenna (420-450MHz) 14cm BROWN adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED adds:ATU-16BS UHF 400-430 MHZ STUBBY ANTENNA adds: ATU-16DS UHF 450-490 MHZ STUBBY ANTENNA	\$499.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00
		<b>Charger options:</b>	<b>Select one option below</b>	
<b>Radios to be charged in a non Hazardous Area</b>		QA03711AA QA03712AA QA03713AA	ADD: CD-58 + PA55C (VAC-UNIC) Euro ADD: CD-58 + PA55U (VAC-UNI) UK delete: Desktop Rapid Charger VAC-UNI	\$0.00 \$0.00 -\$23.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.



Currency: US Dollar  
 Revision Date Of Text: 18th December 2015  
 Pricing Information Valid As Of: 9th November 2015

**EVX-539IS (Non-CE) - Two-Way Radio with 512 Channels (submersible 1 meter for 30 minutes)**

The EVX-539IS series is a 'compact radio' consisting of VHF, UHF1 and UHF2 portables  
 Easy to operate with fundamental features you need, allowing users to keep in contact while still concentrating on the job in hand.

Available in both 5W UHF and 5W VHF models.

**Hardware features:**

- Continuous rotary channel switch (either continuous channel select of 512 channels or 16 group settings of 32 channels)
- 3 side buttons (programmable - dual function)
- 6 front panel buttons (programmable - dual function)
- Accessory connector socket
- 8 character alphanumeric display
- Large rotary channel selector
- Angled rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Audio Companding
- Clear Voice
- Dynamic Tx power control
- VOX (Internal and External)
- 5 tone
- Stun/Revive
- Voice Inversion Encryption built in
- Dual Slot direct mode
- Transmit Interrupt
- Site Search
- Option Board Capable
- MIL 810 CDEFG
- IP 57 (with accessory cover fitted)
- CTCSS / DCS, 2 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode
- Emergency
- Lone worker
- Programmable channel spacing 12.5/20/25KHz
- Analogue/Digital Scan
- ARTS II (Automatic Range Transpond System with MDC1200 auto ID)
- Channel Announcement (dealer recordable / multi language)
- Radio Check (Digital)
- Remote Monitor(Digital)
- Pre-programmed Texting and direct entry Text (Digital)
- Basic/Enhanced Privacy/256 Encryption (Digital)
- Digital Call Management Features, (All call, Group Call, Private Call)
- Stun/Revive digital
- Digital DTMF

**All EVX-539IS Portables include:**

- Portable radio
- 2300 mAh I.S. Li-ion Battery
- Li Ion battery
- Bi Chem Rapid Charger for Lilon battery
- 24 months Radio Tanapa warranty (Does not cover Accessories)
- New style 'push on' belt clip
- Accessory socket dust cover
- Userguide incorporating safety leaflet

**Important note: Options listed below - one of each item must be chosen.**  
*i.e. Choose a radio, antenna, battery and single unit desktop rapid charger option.*

**Please Use CE-142 programming software with these radios**  
**If you use any non IS accessories with the IS radios, the radio is no longer considered as intrinsically safe and must not be used in a hazardous area**



Radios:	Power	Model/Option	Description	Manufacture's Suggested List Price
<b>Non-CE</b> 136-174MHZ	1 - 5 W	AC115N022-VSL	EVX-539-D0-5 (Non-CE) 136-174MHz, 512CH, Full Keypad display	\$619.00
		QA02270AA	adds:ATV-16A VHF Antenna (136-150MHz) 14cm RED	\$0.00
		QA02271AA	adds:ATV-16B VHF Antenna (150-162MHz) 14cm BROWN	\$0.00
		QA02272AA	adds:ATV-16C VHF Antenna (162-174MHz) 14cm BLACK	\$0.00
		QA02273AA	adds: ATV-16XL (Untuned Antenna)	\$0.00
<b>Non-CE</b> 400 - 470 MHz	1 - 5 W	AC115U024-VSL	EVX-539-G6-5 (Non-CE) 403-470MHz, 512CH, Full Keypad display	\$619.00
		QA02274AA	adds:ATU-16B UHF Antenna (400-420MHz) 14cm BLUE	\$0.00
		QA02275AA	adds:ATU-16C UHF Antenna (420-450MHz) 14cm BROWN	\$0.00
		QA02276AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	\$0.00
		QA02922AA	adds:ATU-16BS UHF (400-430 MHz) STUBBY ANTENNA	\$0.00
		QA02923AA	adds: ATU-16DS UHF (450-490 MHz) STUBBY ANTENNA	\$0.00
		<b>Charger options:</b>	<b>Select one option below</b>	
<b>Radios to be charged in a non Hazardous Area</b>		QA03711AA	ADD: CD-58 + PA55C (VAC-UNIC) Euro	\$0.00
		QA03712AA	ADD: CD-58 + PA55U (VAC-UNIUI) UK	\$0.00
		QA03713AA	delete: Desktop Rapid Charger VAC-UNI	-\$23.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency US Dollar  
 Revision Date Of Text: 18th December 2015  
 Pricing Information Valid As Of: 9th November 2015

Page 7

***If you use any non IS accessories with the IS radios the radio is no longer considered as intrinsically safe and must not be used in a hazardous area***

Model number	Description		Manufacturer's Suggested List Price
<b>Antennas</b>			
AAH73X002	ATV-16A	VHF Antenna (136-150MHz) 14cm RED	\$13.00
AAH73X003	ATV-16B	VHF Antenna (150-161MHz) 14cm BROWN	\$13.00
AAH73X004	ATV-16C	VHF Antenna (162-174MHz) 14cm BLACK	\$13.00
AAH73X001	ATV-16XL	VHF Antenna (Untuned)	\$13.00
AAH72X001	ATU-16B	UHF Antenna (400-420MHz) 14cm BLUE	\$13.00
AAH72X002	ATU-16C	UHF Antenna (420-450MHz) 14cm BROWN	\$13.00
AAH72X003	ATU-16D	UHF Antenna (450-470 MHz) 14cm RED	\$13.00
AAH72X004	ATU-16F	UHF Antenna (470-520 MHz) 14cm BLACK	\$13.00
AAJ10X001	ATU-16BS	ATU-16BS Stubby Antenna (400-430 MHz)	\$13.00
AAJ10X002	ATU-16DS	ATU-16DS Stubby Antenna (450-490 MHz)	\$13.00
<b>Batteries</b>			
AAK66X001	FNB-V134LIIS	FNB-V134LI-UNI LI-ION BATTERY 2300MAH	\$125.00
<b>Battery chargers S.U.C</b>			
AAJ72X001	CD-58	CD-58 SINGLE UNIT CHARGER BASE <b>(Not to be used in an IS environment)</b>	\$24.00
AAJ71X003	PA-55C	AC-DC.POWER SUPPLY, 16V, 1A EU MODEL <b>(Not to be used in an IS environment)</b>	\$18.00
AAJ71X004	PA-55U	AC-DC.POWER SUPPLY, 16V, 1A UK MODEL <b>(Not to be used in an IS environment)</b>	\$18.00
GMLN5368A	VAC-UNIC	VAC-UNIC (CD-58 + PA55C) Euro <b>(Not to be used in an IS environment)</b>	\$42.00
GMLN5369A	VAC-UNIU	VAC-UNIU (CD-58 + PA55U) UK <b>(Not to be used in an IS environment)</b>	\$42.00
AAK45X001	VCM-5	VCM-5 VECH CHGR MOUNT ADAPT VAC-UNI <b>(Not to be used in an IS environment)</b>	\$86.00
<b>Battery chargers M.U.C</b>			
GMLN5392A	VAC-6058C	VAC-6058C MUC FOR UNI BATTERY EU PLUG <b>(Not to be used in an IS environment)</b>	\$559.00
GMLN5393A	VAC-6058U	VAC-6058C MUC FOR UNI BATTERY UK PLUG <b>(Not to be used in an IS environment)</b>	\$559.00
<b>Audio accessories</b>			
AAK50X001	MH-37A4B-1	Earpiece Microphone	\$39.00
AAL40X001	VH-150A	Behind Type Vox Compatible Microphone	\$80.00
AAL41X001	VH-150B	Over The Head Vox Compatible Microphone	\$125.00
AAE46X007	MH-66A4B	IP57 Submersible Spkr Mic	\$85.00
<b>Carry solutions</b>			
AAH12X101	CLIP-20	Belt Clip	\$10.00
<b>Programming accessories</b>			
AAJ06X001	FRB-6	Tuning interface box <b>(Not to be used in an IS environment)</b>	\$450.00
AAJ08X001	CT-160	Connection Cable for FRB-6 <b>(Not to be used in an IS environment)</b>	\$80.00
A08110001	CT-27	Portable to Portable Clone Cable <b>(Not to be used in an IS environment)</b>	\$30.00
AAJ23X001	FIF-12	USB interface adapter for use with CT-106 <b>(Not to be used in an IS environment)</b>	\$70.00
AAD68X001	CT-106	Programing Cable interface for /EVX-530 serie...connect to FIF-12 <b>(Not to be used in an IS environment)</b>	\$19.00
<b>Service items</b>			
A08420002	CN-2	Antenna Connector BNC to SMA (female) <b>(Not to be used in an IS environment)</b>	\$25.00
<b>Product manual</b>			
N/A		EVX-5300 / EVX-5400 series VHF and UHF product manual - download from <a href="http://www.vertexstandard.com/manuals">http://www.vertexstandard.com/manuals</a>	Free of charge

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency US Dollar  
Revision Date Of Text: 18th December 2015  
Pricing Information Valid As Of: 9th November 2015

**EVX-5300 - Two-Way Radio with 8 Channel capacity**

The EVX-5300 mobile two-way radio delivers the fundamental features you want. Simple to operate which allows users to keep in contact while still concentrating on the job in hand. CE versions available are 25W VHF (136-174MHz) CE and UHF (403-470MHz) CE models. Non CE version available are 50W VHF (136-174MHz) and 45W UHF (430-470MHz) 45W UHF (450-520MHz).

**Hardware features:**

- Rugged die-cast chassis
- 6 programmable Keys
- 15 pin HDB15 Rear Accessory Connector
- MIL 810 CDEFG

**Operator friendly controls and features include:**

- CTCSS / DCS, 2 Tone, 5 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode
- Stun/Revive/Kill (5 Tone), Stun/Revive (MDC1200)
- Lone worker and Emergency
- Programmable channel spacing 12.5/20/25KHz
- Analogue/Digital Scan
- ARTS II (Automatic Range Transpond System with MDC1200 auto ID)
- Channel Announcement (dealer recordable / multi language)
- Radio Check (Digital), Remote Monitor(Digital)
- Voice Inversion Encryption
- Pre-programmed Texting (Digital)
- Basic Privacy (Digital)
- Digital Call Management Features, (All call, Group Call, Private Call)
- Audio Companding
- Direct Channel entry
- Audio Companding
- Clear Voice
- Dynamic Tx power control
- VOX (Internal and External)
- Voice Inversion Encryption built in
- Dual Slot direct mode
- Transmit Interrupt
- Site Search
- Digital DTMF



**All EVX-5300 Mobiles include:**

- Mobile radio with display
- DC lead and two spare 15 Amp blade fuses
- Mobile mounting bracket
- 24 months Radio Tanapa warranty (Does not cover Accessories)

**Note**

When purchasing an EVX mobile for use with an EVX-Link it is recommended that the radio be purchased with the delete Microphone option, QA04596AA. Please note the microphone is not functional in the EVX-Link configuration.

	Power	Model/Option	Description	Manufacturer's Suggested List Price
<b>CE</b> 134 - 174 MHz	25 W	AC114N022-VSL QA01998AA QA01999AA QA02001AA QA04596AA	EVX-5300-D0-25 (CE) 136-174MHz adds:MH-67A8J Standard microphone adds:MH-75A8J Keypad microphone adds:MD-12A8J Desktop microphone Delete Mic	\$620.00 \$0.00 \$22.00 \$63.00 -\$35.00
<b>Non CE</b> 134 - 174 MHz	50 W	AC114N021-VSL QA01998AA QA01999AA QA02001AA QA04596AA	EVX-5300-D0-50 (Non CE) 136-174MHz adds:MH-67A8J Standard microphone adds:MH-75A8J Keypad microphone adds:MD-12A8J Desktop microphone Delete Mic	\$650.00 \$0.00 \$22.00 \$63.00 -\$35.00
<b>CE</b> 400 - 470 MHz	25 W	AC114U024-VSL QA01998AA QA01999AA QA02001AA QA04596AA	EVX-5300-G6-25 (CE) 403-470 MHz adds:MH-67A8J Standard microphone adds:MH-75A8J Keypad microphone adds:MD-12A8J Desktop microphone Delete Mic	\$620.00 \$0.00 \$22.00 \$63.00 -\$35.00
<b>Non CE</b> 400 - 470 MHz	45 W	AC114U022-VSL QA01998AA QA01999AA QA02001AA QA04596AA	EVX-5300-G6-45 (Non CE) 403-470 MHz adds:MH-67A8J Standard microphone adds:MH-75A8J Keypad microphone adds:MD-12A8J Desktop microphone Delete Mic	\$650.00 \$0.00 \$22.00 \$63.00 -\$35.00
<b>Non CE</b> 450 - 520 MHz	25 W	AC114U023-VSL QA01998AA QA01999AA QA02001AA QA04596AA	EVX-5300-G7-25 (Non CE) 450-520 MHz adds:MH-67A8J Standard microphone adds:MH-75A8J Keypad microphone adds:MD-12A8J Desktop microphone Delete Mic	\$620.00 \$0.00 \$22.00 \$63.00 -\$35.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

**EVX-5400 - Two-Way Radio with 512 Channel capacity**

The EVX-5400 mobile two-way radio delivers the fundamental features you want. Simple to operate which allows users to keep in contact while still concentrating on the job in hand. CE versions available are 25W VHF (136-174MHz) CE and UHF (403-470MHz) CE models. Non CE version available are 50W VHF (136-174MHz) and 45W UHF (403-470MHz) 45W UHF (450-520MHz).

**Hardware features:**

- Rugged die-cast chassis
- Large 8 Digit Alphanumeric display
- 6 programmable Keys
- 15 pin HDB15 Rear Accessory Connector
- Programmable channel spacing 12.5/20/25KHz
- Internal speaker
- Large rotary volume control
- MIL 810 CDEFG

**Operator friendly controls and features include:**

- CTCSS / DCS, 2 Tone, 5 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode, FFSK data
- Stun/Revive/Kill (5 Tone), Stun/Revive (MDC1200), Stun/Revive digital
- Lone worker and Emergency
- Programmable channel spacing 12.5/20/25KHz
- Digital Call Management Features, (All call, Group Call, Private Call)
- Option board capable (License on request)
- ARTS II (Automatic Range Transpond System with MDC1200 auto ID)
- Clear Voice (back ground noise reduction)
- Channel Announcement (dealer recordable / multi language)
- Dynamic Tx power control
- VOX hands free operation (Internal and External mic)
- Live Dial DTMF (using keypad mic)
- Voice inversion scrambling - built in
- Analogue/Digital Scan
- Audio Comanding
- Direct Channel entry
- Radio Check (Digital)
- Remote Monitor(Digital)
- Pre-programmed Texting and direct entry Text (Digital)
- Basic/Enhanced Privacy/ 256 encryption (Digital)
- Dual Slot direct mode
- Transmit Interrupt
- Site Search
- Digital DTMF



**All EVX-5400 Mobiles include:**

- Mobile radio with display
- Operating manual and safety leaflet
- Mobile mounting bracket
- 24 months Radio Tanapa warranty (Does not cover Accessories)

**Note**

When purchasing an EVX mobile for use with an EVX-Link it is recommended that the radio be purchased with the delete Microphone option, QA04596AA. Please note the microphone is not functional in the EVX-Link configuration. Also please note, the EVX-5400 mobile display is not active when used as the EVX-Link interface. No additional information (PTT-ID or otherwise) will appear on the display

	Power	Model/Option	Description	Manufacturer's Suggested List Price
<b>CE</b> 134 - 174 MHz	25 W	AC114N024-VSL	EVX-5400-D0-25 (CE) 136-174MHz	\$640.00
		QA01998AA	adds:MH-67A8J Standard microphone	\$0.00
		QA01999AA	adds:MH-75A8J Keypad microphone	\$22.00
		QA02001AA	adds:MD-12A8J Desktop microphone	\$63.00
		QA04596AA	Delete Mic	-\$35.00
<b>Non CE</b> 134 - 174 MHz	50 W	AC114N023-VSL	EVX-5400-D0-50 (Non CE) 136-174MHz	\$665.00
		QA01998AA	adds:MH-67A8J Standard microphone	\$0.00
		QA01999AA	adds:MH-75A8J Keypad microphone	\$22.00
		QA02001AA	adds:MD-12A8J Desktop microphone	\$63.00
		QA04596AA	Delete Mic	-\$35.00
<b>CE</b> 400 - 470 MHz	25 W	AC114U028-VSL	EVX-5400-G6-25 (CE) 403-470 MHz	\$640.00
		QA01998AA	adds:MH-67A8J Standard microphone	\$0.00
		QA01999AA	adds:MH-75A8J Keypad microphone	\$22.00
		QA02001AA	adds:MD-12A8J Desktop microphone	\$63.00
		QA04596AA	Delete Mic	-\$35.00
<b>Non CE</b> 400 - 470 MHz	45 W	AC114U026-VSL	EVX-5400-G6-45 (Non CE) 403-470 MHz	\$665.00
		QA01998AA	adds:MH-67A8J Standard microphone	\$0.00
		QA01999AA	adds:MH-75A8J Keypad microphone	\$22.00
		QA02001AA	adds:MD-12A8J Desktop microphone	\$63.00
		QA04596AA	Delete Mic	-\$35.00
<b>Non CE</b> 450 - 520 MHz	25 W	AC114U027-VSL	EVX-5400-G7-25 (Non CE) 450-520 MHz	\$640.00
		QA01998AA	adds:MH-67A8J Standard microphone	\$0.00
		QA01999AA	adds:MH-75A8J Keypad microphone	\$22.00
		QA02001AA	adds:MD-12A8J Desktop microphone	\$63.00
		QA04596AA	Delete Mic	-\$35.00

Currency **US Dollar**  
Revision Date Of Text: 18th December 2015  
Pricing Information Valid As Of: 9th November 2015

Page 10

Model number	Description	Manufacture's Suggested List Price
<b>Microphones</b>		
AAE60X102	MH-67A8J Standard microphone	\$35.00
AAG22X101	MH-75A8J Keypad microphone	\$65.00
AAF13X001	MD-12A8J Desktop microphone	\$120.00
<b>Speakers</b>		
A09260003	MLS-100 12watt ext spk (rectangular)	\$60.00
AAD49X001	MLS-200 12watt ext spk (circular)	\$54.00
<b>External power supply</b>		
A12510003	FP-1030A External Power Supply (13.8v DC 25A) <b>NON CE</b> with Euro plug	\$450.00
<b>Filters</b>		
GMLN6691A	LF-6 Line Filter (DC)	\$35.00
<b>Option boards</b>		
	Contact your Sales manager for more information on Option Boards	\$0.00
<b>Programming accessories</b>		
AAJ06X001	FRB-6 Tuning interface box	\$450.00
AAJ07X001	CT-159 Connection Cable for FRB-6	\$80.00
AAJ23X001	FIF-12 USB interface adapter for use with CT-104A	\$70.00
AAD66X002	CT-104A Programming cable radio Interface ....connect to FIF-12	\$19.00
A03340001	CT-4 Mobile to mobile clone lead	\$50.00
N/A	CE-142 EVX series, programming software - download from MOL	\$0.00
<b>Product manual</b>		
N/A	EVX-5300 / EVX-5400 series VHF and UHF product manual - download from <a href="http://www.vertexstandard.com/manuals">http://www.vertexstandard.com/manuals</a>	Free of charge

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

**EVX-Link IP interface (For Use with an EVX-Mobile only)**

The EVX-Link IP Connection box offers the following features when used with an EVX-Mobile

- Connect upto 32 EVX-Links
- Minimum bandwidth required 1M bps
- Minimum Speed required 256K bps for 2 sites

**DMR compatible features**

- Group Call
- Private Call
- All Call
- PTT ID
- Call Alert
- Remote Monitor
- Text messaging
- Emergency
- Site Roaming



**EVX-Link includes:**

- EVX-Link box
- EVX Mobile to EVX-Link Interface cable

**Note**  
For CE countries please use a Cat 7 cable

Radios:	Power	Model/ Option	Description	Manufacture's Suggested List Price
CE		AAL90X001-VSL	EVX-LINK (CE) IP CONNECTION BOX	\$800.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

**EVX-R70 - Basestation / Repeater with 16 Channel capacity**

The EVX-R70 basestation / repeater delivers the fundamental features you want.

UHF and VHF models

features:

- 16 Channel capacity
- EIA Rack mount size
- 26-Pin accessory connector
- Analogue/Digital Dynamic mixed mode
- Time-Division Multiple-Access (TDMA)
- Multicoloured LED Status Indicator
- Low and High power



- User guide available for download via MOL

Radios:	Power	Model/ Option	Description	Manufacture's Suggested List Price
<b>CE</b> 136 - 174 MHz	1- 25 W	AC103N003-VSL	EVX-R70-DO-25 (CE) VHF 136-174 MHz 25-45 W Repeater	\$3,150.00
		QA03164AA	adds: Mains Power Cable with EU Plug	\$0.00
		QA03166AA	adds: Mains Power Cable with UK Plug	\$0.00
<b>CE</b> 136 - 174 MHz	25- 45 W	AC103N002-VSL	EVX-R70-DO-45 (CE) VHF 136-174 MHz 25-45 W Repeater	\$3,270.00
		QA03164AA	adds: Mains Power Cable with EU Plug	\$0.00
		QA03166AA	adds: Mains Power Cable with UK Plug	\$0.00
<b>CE</b> 403-470MHz	1- 25 W	AC103U005-VSL	EVX-R70-G6-25 (CE) UHF 403-470 MHz 25-40 W Repeater	\$3,150.00
		QA03164AA	adds: Mains Power Cable with EU Plug	\$0.00
		QA03166AA	adds: Mains Power Cable with UK Plug	\$0.00
<b>CE</b> 403-470MHz	25- 40 W	AC103U004-VSL	EVX-R70-G6-40 (CE) UHF 403-470 MHz 25-40 W Repeater	\$3,270.00
		QA03164AA	adds: Mains Power Cable with EU Plug	\$0.00
		QA03166AA	adds: Mains Power Cable with UK Plug	\$0.00
<b>CE</b> 450-512MHz	1- 40W	AC103U007-VSL	EVX-R70-G7-40 (CE) UHF 450-512 MHz 25-40 W Repeater	\$3,270.00
		QA03164AA	adds: Mains Power Cable with EU Plug	\$0.00
		QA03166AA	adds: Mains Power Cable with UK Plug	\$0.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency US Dollar  
 Revision Date Of Text: 18th December 2015  
 Pricing Information Valid As Of: 9th November 2015

Page 13

Model number	Description		Manufacturer's Suggested List Price
<b>Power supply</b>			
GMLN5389A		Mains power cable with EU plug	\$12.00
GMLN5390A		Mains power cable with UK plug	\$12.00
AAH40X001	E-DC-29	Battery back up cable	\$58.50
<b>Wall Mount</b>			
AAH39X001	WMB-1	Wall Mount Kit	\$168.50
<b>Programming Accessories</b>			
AAH42X001	CT-150	Mobile & Repeater Rear Programming Cable	\$47.50
AAH43X001	CT-151	Mobile & Repeater Rear Programming, Test & Alignment Cable	\$55.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.



Currency US Dollar  
Revision Date Of Text: 18th December 2015  
Pricing Information Valid As Of: 9th November 2015

Page 14

Model number	Description		Manufacturer's Suggested List Price
<b>Antennas</b>			
AAH25X001	ATV-15C	VHF 136-174 MHz 21 cm Wideband Antenna	\$20.00
AAH26X001	ATU-14A	UHF 403-470 MHz 16 cm Whip Antenna	\$10.00
AAH26X002	ATU-14D	UHF-B2 450-527MHz Whip Antenna	\$10.00
<b>Batteries</b>			
AAH23X001	FNB-V116	NiMH 1300 mAh Battery	\$65.00
AAH86X001	FNB-V117	Lithium Ion 2200mAh Battery	\$140.00
<b>Battery chargers S.U.C</b>			
GMLN5283A	VAC-40C	Desktop Rapid Charger for FNB-V116/FNB-V117 LI with AC Euro plug	\$84.40
GMLN5284A	VAC-40U	Desktop Rapid Charger for FNB-V116/FNB-V117 LI with AC UK plug	\$84.40
<b>Audio accessories</b>			
AAA75X004	MH-50D7A	Speaker Microphone Noise cancelling	\$95.00
AAE46X001	MH-66A7A	Submersible Speaker Microphone	\$85.00
AAE46X002	MH-66B7A	Submersible Speaker Microphone (w/PF key, toggle)	\$125.00
AAE72X001	VH-111	Over the head, heavy duty headset.	\$650.00
AAG21X001	VH-121	3-wire earpiece, mic, palm PTT switch	\$350.00
AAE74X001	VH-131	2-wire earpiece, palm/mic PTT combo	\$250.00
<b>Carry solutions</b>			
AAH24X001	CSC-96	Nylon Carry Case w/ 3" Fixed Belt Loop for Display Radio	\$28.00
AAH69X001	CLIP-21	2.5" Belt Clip	\$5.00
<b>Programming accessories</b>			
AAH85X001	CT-155	VX720 series USB Portable Programming Cable	\$110.00
<b>Service items</b>			
A08420002	CN-2	Antenna Connector BNC to SMA	€25.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency US Dollar  
Revision Date Of Text: 18th December 2015  
Pricing Information Valid As Of: 9th November 2015

Page 15

Model number	Description		Manufacture's Suggested List Price
<b>Microphones</b>			
AAE60X102	MH-67A8J	Standard microphone	\$35.00
AAAG22X101	MH-75A8J	Keypad microphone	\$65.00
AAB02X008	MH-53A8J	Heavy duty noise cancelling microphone	\$100.00
AAF13X001	MD-12A8J	Desktop microphone	\$120.00
<b>Speakers</b>			
A09260003	MLS-100	12watt ext spk (rectangular)	\$60.00
AAD49X001	MLS-200	12watt ext spk (circular)	\$54.00
<b>External power supply</b>			
A12510003	FP-1030A	External Power Supply (13.8v DC 25A) <b>NON CE</b> with Euro plug	\$450.00
AAH30X001	VXD-7200 DC lead	External 12 volt D.C. lead for VXD-7200 to GPN6145B power supply	\$14.00
AAH37X001	E-DC-27	Power Cable to Battery - 10 ft, 15 amp	\$10.00
AAH38X001	E-DC-28	Power Cable to Battery - 20 ft, 20 amp	\$30.00
<b>Mounting hardware</b>			
AAH29X001	DTT-1	Desktop Tray without Speaker	\$49.00
AAH31X001	MMB-93	Low Profile Trunnion Kit VXD-7200	\$14.00
AAH32X001	MMB-94	High Profile Trunnion Kit	\$20.00
AAH33X001	MMB-95	Key Lock Trunnion Kit	\$200.00
AAH34X001	MMB-96	In Dash (DIN) Mounting Kit	\$25.00
AAH35X001	CT-148	Ignition Sense Cable	\$40.00
AAH36X001	CT-149	Mobile Rear Accessory Connector Universal Cable	\$30.00
<b>Programming accessories</b>			
AAH42X001	CT-150	Mobile & Repeater Rear Programming Cable	\$47.50
AAH43X001	CT-151	Mobile & Repeater Rear Programming, Test & Alignment Cable	\$55.00

No liability is accepted for pricing or description errors in this document. All descriptions and pricing can be obtained from the Buying Centre on MOL.